

microMET Microscope

UNITRON®

- New small design for labs, industrial or educational applications
- Integrated mechanical stage
- 5x, 20x & 50x objectives
- Variable, centerable 20 watt halogen illuminator
- Binocular viewing head



SPECIFICATIONS

| | |
|--------------------------------|--|
| Optical System | UNITRON LWD M DIN achromat 10x, and plan achromat 20x and 50x objectives |
| Observation Method | Brightfield |
| Focusing | Vertical action movement revolving nosepiece (fixed stage); coaxial coarse and fine adjustment |
| Nosepiece | Three position revolving nosepiece |
| Stage | Integrated double layer mechanical stage with stage clip: 180 x 155mm; |
| Illuminator | 12 volt 20 watt variable halogen illuminator with lamp centering mechanism |
| Eyepieces | WF10x/18mm and WF12.5x/14mm eyepieces are supplied with each unit |
| Viewing Head | 45° inclined binocular viewing head with 54-75mm interpupillary adjustment |
| Filters | Integrated green, yellow, and neutral density |
| Dimensions & Weight | 216 x 381 x 394 mm (w x d x h); weight: 17 lbs. |
| Accessories | Reticules: grain size, crossline, grid, austenite and custom patterns are available |

EXCELLENCE BY DESIGN *

UNITRON®

73 Mall Drive • Commack, NY 11725 • 631-543-2000 (P) • 631-589-6975 (F)
email: info@unitronusa.com • www.unitronusa.com

V.010915